ELEGANT. DURABLE. DISTINCTIVE.



ToughGate™ by CityScapes® offers expertly crafted gates and doors built to your specifications, budget and job site demands. We use only professional grade materials for years of maintenance free operation.

For stunning good looks, amazing longevity, and extraordinary first impressions, choose ToughGate™.

- MAINTENANCE FREE MATERIALS
- SHIPPED PRE-ASSEMBLED FOR FAST INSTALLATION
- WIDE VARIETY OF DESIGN OPTIONS





ToughGate's™ innovative design makes field assembly fast and easy. All of our gates are shipped pre-assembled directly to your project site, accompanied by all required installation hardware. Our complete installation guides provide a clearly-defined process from start to finish.

Gates are available in heights of up to 14 ft* and widths of up to 20 ft** to accommodate almost any opening dimension.

- * Maximum height determined by infill material and style selected.
- ** Contact a CityScapes® representative for details on our newest MegaGate options. Certain Height x Width limitations apply.



DOOR HANDLES

All ToughGate[™] and Covrit[®] handles and hardware are powder coated and color-matched to the coordinating gate frame for superior aesthetics.



MODERN LATCH

Our lockable latches are designed for years of maintenance free use. Some color matching available.



CUSTOM DESIGNS

Don't see a style or color that fits our plan? No problem. We can color match many of our gate options or allow you to create a fully custom design. Print your image directly onto the gate or laser cut an intricate design into your gate. Have another idea? Let us know. We love a challenge.

ENGINEERED WOOD INFILL SERIES



Vertical PlankWall



Horizontal PlankWall

000

Sequoia



Redondo







PlankArt™

ENGINEERED WOOD INFILL COLOR OPTIONS

Color & Textured Woodgrain Surface On One Side Only



Kona



Coastline



English

Brownstone

Dark Hickory

Weathered

French

Walnut

Teak White Oak











ENGINEERED WOOD INFILL SERIES SPECS

• Planks are 1" thick 100% cellular PVC.

METAL INFILL SERIES

Muir Woods



7.2 Rib



Planar



Ventilated Plankwall

Perforated



Perforated 7.2

METAL SERIES SPECS

- Structural material thickness varies depending on infill choice
- Typical 7.2 Rib Metal Panels .050" Precoated aluminum
- Typical Perforated Metal Panels .063" Aluminum, 1/8" holes, 1/4" staggered centers, 23% open area

For current color availability for metal wall styles, contact a CityScapes® representative.



Bahama Shutter



True Louver



Custom Graphic

SLAT WALL INFILL SERIES



4-Inch Slat Wall (Horizontal)



4-Inch Slat Wall (Vertical)



6-Inch Slat Wall (Horizontal)



6-Inch Slat Wall (Vertical)

SLAT SERIES SPECS

- · Powder coated aluminum slats
- 1"x 4" .080" Wall thickness
- 1"x 6" .100" Wall thickness
- 6063 T6 Aluminum
- 4000 Series powder coated

For current color availability for slat wall styles, contact a CityScapes® representative.

NATURAL WOOD INFILL SERIES



Horizontal PlankWall (Standard Stiffener)



Horizontal PlankWall (Wide Stiffener)



Vertical PlankWall (Standard Stiffener)



Vertical PlankWall (Wide Stiffener)

NATURAL WOOD INFILL SERIES SPECS

- 1" Thick Hardwood planks
- Please note that woodgrain patterns and colors may vary naturally, resulting in unique and distinct characteristics for each piece. This variability is a natural feature of hardwood and adds to the beauty and individuality of our products.

HARDWOOD INFILL COLOR OPTIONS



lpe











Garapa

CRADLE HINGE OPTIONS - New and Retrofitted Installations


Choose from our fully adjustable hinge options. We recommend installation using our hold-open pipe hinge which offers a convenient and enhanced safety feature to "hold open" your gate; reducing injuries as well as damage to your property. Alternative hinge options to retrofit to your existing post or wall are shown below.


HOLD-OPEN PIPE HINGE

- · Pre-welded steel construction
- · Laser-cut rings nest and work together to provide a 100° hold-open gate position. Gate will automatically close prior to 100°.
- · Adjustment slot in cradle to help level door on pipe.
- Grease fitting included
- Powder coated to match frame

ADJUSTABLE PIPE HINGE

- · Pre-welded steel construction
- Adjustment slot in cradle to help level door on pipe.
- · Grease fittings included
- · Powder coated to match frame





BARREL HINGE

(retrofit for square post or wall mount)

- Set bolts in post included for setting gate height off grade.
- Pre-welded steel gate frame saddle to barrel hinge. Barrel hinge leaf side requires field welding to structure or can be made to bolt onto structure after engineering review.
- Powder coated to match gate frame
- Steel or Aluminum construction available (Material used is determined by weight)




PLATE HINGE

(retrofit for square post or wall mount)

- Set bolts in post included for setting gate height off grade.
- Pre-welded steel gate frame saddle to barrel hinge. Barrel hinge leaf side requires field welding to structure or can be made to bolt onto structure after engineering review.
- Powder coated to match gate frame
- Steel or Aluminum construction available (Material used is determined by weight)

